

CITY AND INDUSTRIAL DEVELOPMENT CORPORATION OF MAHARASHTRA LIMITED

(CIN - U99999 MH 1970 SGC - 014574)

REGD. OFFICE:"NIRMAL", 2nd Floor, Nariman Point,
Mumbai - 400 021.

PHONE : 00-91-22-6650 0900

FAX : 00-91-22-2202 2509

HEAD OFFICE:CIDCO Bhavan, CBD Belapur,
Navi Mumbai - 400 614.

PHONE: 00-91-22-6791 8100

FAX : 00-91-22-6791 8166

Ref. No.

CIDCO/EE (QC)/LAB/2024/836

Date : 03/04/2024

To,
M/s. ELCA Laboratories,
Plot No. GEN-62, Trans-Thane-Creek Industrial Area,
Mahape MIDC, Navi Mumbai. PIN: 400710.

Subject : Approval to registration of Material Testing Laboratory of **M/s. ELCA Laboratories**

Reference : 1. Your application for registration vide Letter No. Nil dated 12/02/2024
2. NABL's Certificate of Accreditation TC NO.5743 dated 24/10/2023 valid up to 23/10/2025.
3. Payment Receipt No. 6100000034/2024 amounting to ₹23,600/- dated 03/04/2024.

Dear Sir,

CIDCO is pleased to inform you that, your application for registration as a Material Testing Laboratory viz. **M/s. ELCA Laboratories** situated at "**Plot No. GEN-62, Trans-Thane-Creek Industrial Area, Mahape MIDC, Navi Mumbai. PIN: 400710**" is hereby approved by this office. The said Laboratory is now registered with this office with effect from **03/04/2024 to 23/10/2025**. (i.e. upto validity of your NABL Accreditation Certificate under Reference-3)

You are hereby permitted to test the construction related samples pertaining to various infrastructural and building works of CIDCO as per your revised Scope vide NABL's Certificate of Accreditation under Reference-3.

During the period of registration, the following conditions will be applicable.

1. The Laboratory shall be maintained in working condition for entire period.
2. The laboratory should give top priority to testing of samples of CIDCO works. In case of failure with this respect is noticed, the Laboratories will be deregistered.

M/s. ELCA Laboratories

Page 1 of 3



3. The values of acceptance limits for the test conducted shall be indicated in the test report as per relevant codes.
4. Whenever the testing is carried out for CIDCO works, Laboratory representative should allow CIDCO's visiting personnel to witness the test.
5. The Laboratory owner should follow all instructions given to them from time to time by the Corporation.
6. The instruments should be got calibrated from time to time as per requirement & calibration certificate shall be made available for inspection to visiting CIDCO officers.
7. Registers showing test conducted and result obtained for CIDCO works shall be maintained & kept in the Laboratory for inspection of the visiting CIDCO officer.
8. The tests shall be carried out as per the procedure mentioned in the relevant tender conditions/specifications/IS codes/BS codes/ASTM/ MORTH etc., as the case may be.
9. Please note that this registration of laboratory is valid up to **23/10/2025** only.
10. A surveillance audit will be conducted after lapse of one year from the issue of this letter. **You have to apply for surveillance audit on or before 02/04/2025.** The laboratory has to make all necessary arrangement for the same.
11. Application for renewal of registration shall be made 6 (SIX) months before the expiry of the registration.

Thanking you,

Enclosed: Annexure-I

Yours faithfully,

Sunil J. Deore
03.04.2024
(Sunil J. Deore)

Executive Engineer (Quality Control),
Raigad Bhavan, 5th Floor, CBD-Belapur,
Navi Mumbai-400614.

Annexure-I

Brief details of tests carried out at "M/s. ELCA Laboratories"

Location: Plot No. GEN-62, Trans-Thane-Creek Industrial Area, Mahape MIDC, Navi Mumbai. PIN: 400710.

Mechanical

- Building Material
- Metals
- Metallography Test
- Plastic & Plastic Products
- Rubber & Rubber Products

Electrical

- Cables & Wires
- Conductors & Conducting Materials
- Environmental Test
- Safety Test

Chemical

- Building Material
- Corrosion Test
- Hazardous & Restricted Chemicals
- Metallic Coatings & Treatment Solutions
- Metals & Alloys
- Water

Sunil J. Deore
03.04.2024.

(Sunil J. Deore)

Executive Engineer (Quality Control),
Raigad Bhavan, 5th Floor, CBD-Belapur,
Navi Mumbai-400614.